



Consulate General of India  
New York  
\*\*\*\*

**INVITATION FOR TENDER**

NYCG/ADM/885/1/2021

Date: 21 December 2021


**Sub: Installation of CCTV Camera with audio recording in the Chancery building**

The Consulate General of India, 3 East 64 streets, New York, NY 10065 invites bids for the installation of 05 CCTV cameras (with audio recording) in the Chancery building. The bids should include all the expenses of manpower and required material for the installation of CCTV Cameras. The specification of the CCTV camera is mentioned in Annexure – I (copy attached).

Interested parties are welcome to contact the Consulate for any further clarity before submission of their bids on any working day till 11 January 2022 between 0900 hrs. and 1730 hrs. Please send e-mail to [hoc.newyork@mea.gov.in](mailto:hoc.newyork@mea.gov.in) or contact via telephone number (212) 774-0615 in case of any questions. All Interested companies may e-mail their password protected quotes at [hoc.newyork@mea.gov.in](mailto:hoc.newyork@mea.gov.in) or send by post at the following address latest by 11 January 2022.

Head of Chancery  
Consulate General of India  
3 East 64 Street New York NY 10065

**Last date of submission of bids is 11 January 2022.**

  
**Suman Singh**  
(Head of Chancery)

**2-4 Megapixel H.265 Vandal Proof Network Dome IR Camera**

**KEY FEATURES**

- 0.008 Lux
- H.265 High Efficiency Video Coding
- Integrated Motorized Varifocal Lens (Auto focus) *audio recording*
- Built-in ICR Filter for Day/Night switching
- Built-in web server for IE/Firefox/Chrome/Safari preview
- 3D-DNR, Privacy Masking and Motion Detection
- Built-In efficient IR LEDs, IR distance up to 30m
- Weather-proof IP-67 rated housing
- Built-in 802.3af Compliant PoE
- Support ONVIF Profile S

**IP VIDEO SURVEILLANCE SOLUTION**

	DESCRIPTION	SPECIFICATIONS
CAMERA	Image Sensor	1/3" Progressive Scan CMOS
	Min. Illumination	Color: 0.008Lux@F1.2, B/W: 0Lux with IR on
	WDR	Super WDR up to 120dB
	Lens	3.6mm @ F.16
	Field of View	H67.2° (3.6mm)
	Shutter Time	1/100000s~1/5s
	IR Distance	Up to 30m or more
	Day & Night	ICR Filter Auto Switch
	Max Image Resolution	2592x1520
VIDEO	Frame Rate	20fps(2592x1520) 25fps(2304x1296) 25fps(1920x1080)
	Video Compression	H.265(HEVC) / H.264 / MJPEG
	Video Bit Rate	160Kbps~16Mbps(CBR/VBR Adjustable)
	Image Setting	Brightness/Contrast/Saturation/Sharpness
NETWORK	Ethernet	1*RJ45 10M / 100M Ethernet Port
	Network Storage	NAS(Support NFS, SMB/CIFS)
	Protocol	TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS, DNS, DDNS, DHCP, FTP, NTP, SMTP, SNMP, UPNP, SIP, IPv6, PPPoE, VLAN
AUDIO	Audio Streaming	Built-in Microphone
	Audio Compression	G.711 and AAC

SYSTEM	Advanced Function	Motion Detection, Privacy Masking, Backlight Compensation, 3D-DNR, ROI
	SIP/VoIP Support	Yes, Voice & Video over IP
	Event Trigger	Motion Detection, Network Disconnection, etc.
	Event Action	FTP Upload/SNTP Upload/SIP Phone
	System Compatibility	ONVIF Profile S
GENERAL	Power Supply	PoE
	Power Consumption	2.5W MAX, 5.5W MAX (With IR on) {can be removed}
	Weather Proof	Up to IP67 Rating for Weather-resistant
	Certification	CE,FCC,Rohs